

# **ebmpapst**

### **Operating Instructions**

#### ebm-papst A&NZ Pty Ltd

10 Oxford Road Laverton North VIC 3026 Australia

Phone: +61 3 9360 6400 Fax: +61 3 9360 6464 sales@ebmpapst.com.au www.ebmpapst.com.au

#### **CONTENTS**

1.	SAFETY REGULATIONS AND NOTES	
2.	TECHNICAL DATA	2
2.1	Product drawing	2
2.2	Ancillary component data	2

#### 1. SAFETY REGULATIONS AND NOTES

Please read these operating instructions carefully before starting to work with the device. Observe the following warnings to prevent malfunctions or physical damage to both property and people.

Product S4E300AR26CT-002 is assembled in Australia and incorporates imported product A4E300AR2627. For product drawing see Chapter 2.1 'Product drawing' of this document and Chapter 2.2 'Ancillary component data' for specifications of sub components.

For safety regulations and information, intended use, technical data, connection and start-up and maintenance, malfunctions, possible causes and remedies refer to operating instructions of A4E300AR2627.

These operating instructions are to be regarded as part of this device. If the device is sold or transferred, the operating instructions must accompany it.

These operating instructions may be duplicated and forwarded for information about potential dangers and their prevention.




## ebmpapst

### **Operating Instructions**

#### 2. TECHNICAL DATA

#### 2.1 Product drawing



#### All dimensions are in mm

#### Direction of air flow "V"

#### Fan cable requirement

Power supply and control cable diameter: max. 5 mm, tightening torque for cable gland 1.3 ±0.2 Nm.

#### Fan junction box requirements

Tightening torque 0.5±0.1 Nm for 2x screws on lid.

#### 2.2 Ancillary component data

Weight [kg]	3.04
Material of guard grille	Steel phosphated and coated
	in black
Terminal box material	ABS plastics
Capacitor	2.0µF S0